Application No. 09/775,367

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

- (Original) A method for automatically detecting an edge of a document in a scanning system, comprising the steps of:
 - (a) scanning a portion of the document to obtain a set of image data;
 - (b) calculating a set of first values from the image data using a first function, the first function being a first-order function;
 - (c) calculating a set of second values from the image data using a second function, the second function being a second-order function;
 - (d) determining a first slope value, the first slope value being a function of the difference between a plurality of the first values;
 - (e) determining a second slope value, the second slope value being a function of the difference between a plurality of the second values; and
 - (f) determining a detected edge of the document from the first slope value and the second slope value.
- 2. (Original) The method according to claim 1, wherein step (f) comprises:
 - (f1) computing a product of the first slope value and the second slope value; and
 - (f2) generating a block sum value, the block sum value comprising the sum of a plurality of second values.

- 3. (Original) The method according to claim 1, further comprising:
- (g) calculating a set of third values from the image data, each one of the third values being a fourth-order statistic;
- (h) determining a second detected edge of the document from the set of third values; and
- (i) reconciling the detected edge and the second detected edge to obtain the document edge.
- 4. (Original) The method according to claim 3, wherein step (h) comprises:
 - (h1) determining a third slope value, the third slope value being a function of the difference between a plurality of the third values; wherein the second detected edge is identified from the third slope value.
 - 5. (Original) The method according to claim 1, further comprising:
 - (g) calculating a plurality of block values, each block value comprising a mean of a plurality of first values; and
 - (h) verifying the detected edge using the plurality of neighbor block values.

- 6. (Original) The method according to claim 5, wherein step (g) comprises:
 - (g1) calculating a first block value, the first block value comprising a mean of a first plurality of first values;
 - (g2) calculating a second block value, the second block value comprising a mean of a second plurality of first values; and
 - (g3) computing a first block difference value, the first block difference value comprising an arithmetic difference between the first block value and the second block value;
 - wherein step (h) verifies the detected edge when the first block value is greater than a first block difference threshold.
- 7. (Currently Amended) A method for automatically detecting an edge of a document in a scanning system, comprising the steps of:
 - (a) scanning a portion of the document to obtain a set of image data;
 - (b) calculating a set of first values from the image data using a first function, the first function being a second-order function;
 - (c) determining a first slope value, the first slope value being a function of the difference between a plurality of the first values;
 - (d) generating a block sum value, the block sum value comprising the sum of a plurality of first values; and
 - (f) (e) determining a detected edge of the document from the first slope value and the block sum value.
 - 8. (Cancelled)

XEROX OGC

P.08

- 9. (Currently Amended) The method according to claim 4 7, further comprising:
 - (g)(f) calculating a set of second values from the image data using a second function, the second function being a fourth-order function;
 - (h)(g) determining a second detected edge of the document from the set of second values; and
 - (i)(h) reconciling the detected edge and the second detected edge to obtain the document edge.
- 10. (Currently Amended) The method according to claim 9, wherein step (h)(g) comprises:
 - (h1)-(g1) determining a second slope value, the second slope value being a function of the difference between a plurality of the second values; wherein the second detected edge is identified from the third-second slope value
- 11. (New) A method for detecting an edge within scanned image data, comprising the steps of:
 - calculating a set of first values from the scanned image data using a first function, the first function being a second-order function;
 - determining a slope value, the slope value being a function of the difference between a plurality of the first values;
 - generating a block sum value, the block sum value comprising the sum of a plurality of the first values; and
 - determining a detected edge of a document from the slope value and the block sum value.

P.09

Application No. 09/775,367

- 12. (New) The method according to claim 11, further comprising: calculating a set of second values from the scanned image data using a second function, the second function being a fourth-order function; determining a second detected edge from the set of second values; and reconciling the detected edge and the second detected edge to identify a document edge.
- 13. (New) The method according to claim 12 wherein the step of determining a second detected edge includes determining a second slope value, the second slope value being a function of the difference between a plurality of the second values.